


SOL-SYS20W

High Efficiency, High Quality PV Module




Electrical Characteristics	SOL-SYS20W
Maximum power (Pmax)	20W
Voltage at Pmax (Vmp)	18.3V
Current at Pmax (Imp)	1.11A
Open-circuit voltage (Voc)	23.2V
Short-circuit current (Isc)	1.14A
Temperature coefficient of Voc	-(0.40 ± 0.05)%/ °C
Temperature coefficient of Isc	(0.065 ± 0.01)%/ °C
Temperature coefficient of power	-(0.5±0.05)%/ °C
NOCT (Air 20°C; Sun 0.8kW/m² wind 1m/s)	47±2°C
Operating temperature	-40°C to 85°C
Maximum system voltage	600V DC
Power tolerance	+ 3%
Cells	multicrystalline silicon solar cell
No. of cells and connections	36(4X9)
Module Dimension	435mm[17.13in.]x356mm[14.02in.]x30mm[1.18in.]
Weight	1.9kg[4.22lbs]


* STC:Irradiance 1000W/m², AM1.5 spectrum, module temperature 25°C

* Specifications are subject to change without notice at any time.


Module Diagram



Dimensions in brackets are in inches.
Un-bracketed dimensions are in millimeters.
Unit:mm[in.]




Junction Box
Top View (Lid open)




Section A-A

I-V Curves

I-V Curves of PV module SOL-SYS20W



I-V Curves of PV module SOL-SYS20W at various cell temperatures



Key Features:

- High module efficiency and stable power output
- Based on leading process technology
- Outstanding electrical performance under high temperature conditions or low irradiance conditions
- Easy of installation and all-weather applications
- 5 years product warranty(materials and workmanship)
- 20 years module power output warranty
- Peak power of single module is guaranteed in +3% power tolerance
- Strong framed module, passing loaded test of 5400 Pa (IEC61215 2nd)
- The manufacture is certified for ISO 9001:2000

Product's Guarantee

- 5 years products life warranty
- 15 years module power output no less 90%
- 20 years module power output no less 80%

Applications

- Of grid residential roof-tops
- Of grid commercial/industrial roof-tops
- Rural area applications
- Solar power system
- Other of-grid applications



NEMTEK

NEMTEK(PTY)LTD

Address:Northriding commercial Park
Stand251,Aintree Street Nothriding
Randburg
TEL:27 11462 8283
TAX:27 11462 7132