



35 years of designing and manufacturing innovative electric fencing solutions

NEMTEK
Electric Fencing Products



SECURITY QUICK REFERENCE

ELECTRIC FENCING PRODUCTS THAT DELIVER PEACE OF MIND



INTRODUCTION

Nemtek is a leading supplier of innovative electric fencing products both locally and abroad. Nemtek's electric fencing solutions are regarded as the product of choice by consumers, companies, industries, governments, local authorities and industries in protecting their utilities, correctional facilities and defence infrastructures.

With over 35 years of experience in designing electric fencing products and technologies, Nemtek has the in-house knowledge and expertise to manufacture and supply the full spectrum of energizers and fencing hardware applications for residential, commercial, industrial, utilities and high-risk security fencing.



Residential

Homeowners trust Nemtek products to provide security for everything they value most. Our extensive range of electrified fencing security products has helped ensure the safety and well-being of households for over 35 years. Nemtek products are trusted and recommended by many homeowners to offer better security for their families and friends. The continually evolving and inventive Nemtek range offers innovative solutions for any residential application, with numerous choices to ensure that homes are secure without compromising on aesthetics.



Commercial

Whether you need to secure car and boat showrooms, office and commercial parks, caravan, car and motor home displays, outdoor showrooms, or retail complexes, Nemtek has advanced security solutions for commercial applications that do the job. We have identified this need for secure perimeter protection combined with aesthetically pleasing designs that do not compromise on the effectiveness and the performance of the electric fence. Solar farms, oil refineries, steel industries and mining sites often need to be protected from intruders, both from a safety and a security point of view. The need to protect large industrial areas has been met by Nemtek's range of full height fencing solutions. Nemtek systems can be added onto existing fences (piggyback) or can be completely freestanding where no fence exists. In many instances, multiple fence zones are required and the modular design of Nemtek energizers makes this easy to achieve.



Infrastructure

Government facilities and critical infrastructures need to be protected. Power distribution facilities, water reservoirs, transport depots, pumping stations and gas pipelines are some of the types of utilities that often need to be protected, as disruptions or interferences can cause large-scale implications for governments, cities and the community as a whole. Protection is often required to prevent harm to individuals by stopping them from gaining access to sensitive or dangerous areas such as train depots or even electrical transformers and electrical distribution areas. The Nemtek range of hardware, software and energizer design will ensure that a reliable security solution is available for these infrastructures. Nemtek manufactures all its products with high security in mind, and our range of products can be integrated with other technologies such as cameras. High-security sites can also be remotely accessed and monitored with Nemtek solutions. Our vast experience in these types of sites in many different parts of the world have made Nemtek a trusted source for products and knowledge to address most high-security needs. These sites include prisons, airports, naval bases, border fences, embassies, mints and money distribution points.

ENERGIZERS

 residential
  commercial
  industrial
  utilities
  high security

Nemtek's range of electric fencing energizers are suitable for a variety of applications, for both home and commercial security. Robustly manufactured from top quality materials, Nemtek's energizers cater to your specific electric fencing needs.

SINGLE ZONE

 <p>   </p> <p> WIZORD 2i (E-WIZ2I) WIZORD 4i (E-WIZ4I) </p> <p>    </p> <p>2i 4i</p>	 <p>   </p> <p> MERLIN 4i (E-MER4I) WITH KEYPAD (EE-MKP) </p> <p>   </p>	 <p>    </p> <p> MERLIN STEALTH M18S (E-M18S/V1) MERLIN STEALTH SINGLE ZONE KEYPAD (EE-M1Z2GK) </p> <p>   </p>
---	---	---

SINGLE ZONE WITH LCD DISPLAY

 <p>   </p> <p> DRUID 13LCD (E-DRUID/13/LCD) DRUID 15LCD (E-DRUID/15/LCD) DRUID SINGLE ZONE KEYPAD (EE-DR.LCD/KP) </p> <p>     </p> <p>13LCD 15LCD</p>	 <p>    </p> <p> DRUID 18LCD (E-DRUID/18/LCD) DRUID SINGLE ZONE KEYPAD (EE-DR.LCD/KP) </p> <p>    </p>
--	--

DUAL ZONE






MERLIN STEALTH M28S
 (E-M28S/V1)
MERLIN STEALTH DUAL ZONE KEYPAD (EE-M2ZKP)




DRUID DUAL ZONE ENERGIZER ACCESSORIES



DRUID RELAY EXPANSION CARD
 (EE-LCD2X/REL)



DRUID SYNCHRONISATION MODULE
 (EE-LCD2X/GPSYNC)

FENCE MONITOR



DRUID 20LCD FENCE MONITOR
 (E-DRUID/20FM/V1)

DRUID 20LCD FENCE MONITOR TESTER
 (TL-FM/D20)

DUAL AND FOUR ZONE WITH LCD DISPLAY

 <p>      </p> <p> DRUID 25LCD (E-DRUID/25/LCD) DRUID 28LCD (E-DRUID/28/LCD) </p> <p>        </p> <p>25LCD 28LCD</p>	 <p> DRUID DUAL ZONE KEYPAD (EE-DR.LCD/KP/2Z) </p>	 <p> DRUID FOUR ZONE KEYPAD (EE-DR.LCD/KP/4Z) </p>
---	--	---

FENCE TESTERS



**FENCE SCOPE
MULTI-TOOL AND
POUCH**
(TL-FS), (TL-FSTP)



**FENCE
METER AND
POUCH**
(TL-FM), (TL-FMTP)

NEMTEK CONNECT



NEMTEK CONNECT
(EE-NC2G), (EE-NCWIFI),
(EE-NC4G/1Y), (EE-NC4G/3Y)

SMART CARD CONTROLLER



**SMART IO RELAY
CARD**
(EE-PRI08/NL)

COMMUNICATION AND RELAY CARDS



**DRUID NETWORK
IO CARD**
(EE-FG108/NL)



**DRUID NEMLINK
CARD - NETWORK IO**
(EE-LCD2X/NLIO)



**DRUID NEMLINK
CARD**
(EE-LCD2X/NLE)



DRUID RS485 CARD
(EE-D/485/1)

PERIMETER ALARM LIGHT SYSTEM



**PERIMETER LIGHT
CONTROLLER**
(SR-PLC)

MULTIZONE AND SITE NETWORKING



**NEMTEK DRUID FENCE PROBE
SOFTWARE** (E-NDFP01)



**POWER PACK
2AMP**
(PP-2.0AMP)



**DRUID
CONTROLLER
FG7C**
Wall Mount
(E-FG7C/DRUID/WM)
Panel Mount
(E-FG7C/DRUID/PM)



**PERIMETER
LIGHT**
(SR-FL6)



**PERIMETER LIGHT
CHARGER**
(SR-PL/CHR5)



**FG7C RS485
INTERNAL CARD**
(EE-FG7C/485/TW)



**FG7C NEMLINK
INTERNAL CARD + TW**
(EE-FG7C/NLE/TW)

FG7C+
Wall Mount
(E-FG7C+)



**LOW-VOLTAGE
CABLE**
(CB-2CFLC)


DUAL ACTION TENSION SENSORS (DATS)



DATS2 (sold as kit)
(TS-DATS2/XL), (TS-DATS2/SS),
(ES-CNT2HBG)



DATS3 (sold separately)
(TS-DATS3/XL), (TS-DATS3/SS),
(ES-CNT4HB)



DATS BRIDGING WIRES
Stainless steel 100mm (EA-DBW1.8X100SS), 200mm (EA-DBW1.8X200SS)
Galvanised 100mm (EA-DBW2.0X100G), 200mm (EA-DBW2.0X200G)

TENSION SENSOR SYSTEM



TENSION SENSOR CONTROLLER FG7C

Wall Mount
[E-FG7C/TW/WM]
Panel Mount
[E-FG7C/TW/PM]



TENSION SENSOR
[E-TWS1]



TENSION SENSOR DUMMY
[E-TWS2]



MYLAR SCREEN 3-CORE CABLE
[CB-TWC/200]



DRUID NETWORK IO CARD
[EE-FGI05]



NODE 1 CONTROLLER
[E-TW/NODE1]



NODE 2 CONTROLLER
[E-TW/NODE2]

WALL TOP BRACKETS (Available in 5, 6, 8, 10 and 12 wire, black or white PC, HDG or HDG and PC – depending on bracket selected)



ROUND BAR



SQUARE TUBE
(straight and angled)



SQUARE TUBE JURASSIC
(straight and angled)



T-POLE



PROFILE POLE



SQUARE TUBE SHIELD PIN



SQUARE TUBE SHIELD



FLAT BAR
(straight and angled)



SQUARE TUBE TOP BEND



SQUARE TUBE JURASSIC TOP BEND



SQUARE TUBE SHIELD T-POLE



SQUARE TUBE SHIELD WITH BASE

WALL TOP BRACKET ACCESSORIES



STAY AND LUG

600mm black PC [EST/L/B],
600mm white PC [EST/L/W],
750mm black PC [EST/L/BL],
750mm white PC [EST/L/WL],
600mm HDG [EST/L/HD], 750mm HDG [EST/L/HDL]



STAY HEAVY DUTY

1 000mm black PC [ESTBL10],
1 000mm white PC [ESTWL10],
1 000mm HDG [ESTHDL10]



STAY SLEEVE

600mm black [ESTSSB], 600mm white [ESTSSW],
750mm black [ESTSLB], 750mm white [ESTSLW],
1 000mm black [ESTSLBL10],
1 000mm white [ESTSLWL10]



LUGS

6x35mm [EA-L635],
6x35mm HDG [EA-L635/HDG],
6x35mm ALU [EA-L635/ALU],
6x70mm [EA-L670]



ROUND BAR STAY CLAMP
[EA-RAT]



NAIL-IN ANCHORS

6x40mm [EA-640],
6x60mm [EA-660],
8x80mm [EA-880],
8x120mm [EA-8120]



HAMMER DRIVE ANCHORS

6x50mm [EA-HDP650],
6x65mm [EA-HDP665]



COACH SCREW AND PLUG

8x75mm [EA-CSSET/HD]



TEK SCREW - SELF DRILLING


12x25mm [EA-TEK12X25/HDG],
12x38mm [EA-TEK12X38/HDG],
12x65mm [EA-TEK12X65/HDG],
14x75mm [EA-TEK14X75/DM],
14x102mm [EA-TEK14X102/DM]




STAY AND SLEEVE KIT

600mm HDG [EST/HDKIT/B],
600mm black PC [EST/PCKIT/B],
750mm HDG [EST/L/HDKIT/B],
750mm black PC [EST/L/PCKIT/B]

HOW A NEMTEK WALL TOP ELECTRIC FENCE WORKS





FREESTANDING SYSTEM

 NEMTEK PICKET INTERMEDIATE POSTS 1.5m Bitumen [EY-Y15NB], 1.5m HDG [EY-Y15NHD], 2.4m Bitumen [EY-Y24NB], 2.4m HDG [EY-Y24NHD], 3.0m Bitumen [EY-Y30NB], 3.0m HDG [EY-Y30NHD]	 STRAINER POST END AND CORNER 1.5mx76mm HDG [EY-CPR7620HD15], 2.4mx76mm HDG [EY-CPR7620HD24], 3.0mx76mm HDG [EY-CPR7620HD30], 2.4mx95mm HDG [EY-CPR9520HD24], 3.0mx95mm HDG [EY-CPR9520HD30]	 STRAINER POST STAYS 1.5mx38mm HDG [EY-CSR3815HD], 2.4mx38mm HDG [EY-CSR3824HD], 2.4mx50mm HDG [EY-CSR5024HD], 3.0mx50mm HDG [EY-CSR5030HD]	 STRAINER POST STAY NUT AND BOLT Nut [EA-SCRM10NUTSHD] Bolt [EA-SCRM10X120H]	 U-HOOK [ES-HK/UH304]		
 PICKET INSULATOR [EI-PI]	 COMBO TENSIONER HYBRID BB [ES-CTNTBB]	 HEAVY DUTY COMPRESSION SPRING 3 [ES-CNT3]	 HYBRID COMPRESSION SPRING 4 [ES-CNT4HB]	 ULTRA HARDENED STRAIN INSULATOR [EI-STB/R/H], [EI-STW/R/H]	 S-HOOK [ES-HK/EP]	 THROUGH HOLE S-HOOK [ES-HK/THR/HDG]

OMEGA BRACKETS AND ACCESSORIES

	PRE-GALVANISED INTERMEDIATE BRACKET (1mm) 900mm [EY-PR275/0900/1], 1 200mm [EY-PR275/1200/1], 1 500mm [EY-PR275/1500/1], 1 800mm [EY-PR275/1800/1], 2 100mm [EY-PR275/2100/1], 2 400mm [EY-PR275/2400/1], 3 000mm [EY-PR275/3000/1]				
	HOT DIP GALVANISED INTERMEDIATE BRACKET (1mm) 900mm [EY-PRHDIP0900/1], 1 200mm [EY-PRHDIP1200/1], 1 500mm [EY-PRHDIP1500/1], 1 800mm [EY-PRHDIP1800/1], 2 100mm [EY-PRHDIP2100/1], 2 400mm [EY-PRHDIP2400/1], 3 000mm [EY-PRHDIP3000/1]				
	HOT DIP GALVANISED CORNER BRACKET 1 800mm [EY-PRHDIP1800/2], 2 100mm [EY-PRHDIP2100/2], 2 400mm [EY-PRHDIP2400/2], 3 000mm [EY-PRHDIP3000/2]				
 90-DEGREE S-HOOK [ES-HK/EP/90DEG]	 180-DEGREE S-HOOK [ES-HK/EP/DS]	 S-HOOK [ES-HK/EP]	 OMEGA SPACER [EY-O/SWT]	 HEAVY DUTY COMPRESSION SPRING [ES-CNT3]	 HYBRID COMPRESSION SPRING 4 [ES-CNT4HB]
 OMEGA PULL-THROUGH ASSEMBLY [EI-BTL2], [ES-HK/EP/PTH]	 OMEGA INSULATOR [EI-OB]	 HYBRID BB HEAVY DUTY NYLON TENSIONER [ES-CTNTBB]	 OMEGA WELDED BRACKETS [EY-OS/CB02], [EY-OS/CB03]		

ALPHA BRACKETS AND ACCESSORIES

 INTERMEDIATE BRACKET (1mm) 1.8m XL [EY-ALPHA/1.8/1], 1.8m Black [EY-ALPHA/1.8/B], 2.1m XL [EY-ALPHA/2.1/1], 2.1m Black [EY-ALPHA/2.1/B], 2.4m XL [EY-ALPHA/2.4/1], 2.4m Black [EY-ALPHA/2.4/B], 3.0m XL [EY-ALPHA/3.0/1], 3.0m Black [EY-ALPHA/3.0/B]	 END AND CORNER BRACKET (2mm) 1.8m XL [EY-OMXL/1.8/2], 1.8m Black [EY-OMXL/1.8/B], 2.1m XL [EY-OMXL/2.1/2], 2.1m Black [EY-OMXL/2.1/B], 2.4m XL [EY-OMXL/2.4/2], 2.4m Black [EY-OMXL/2.4/B], 3.0m XL [EY-OMXL/3.0/2], 3.0m Black [EY-OMXL/3.0/B]	 ALPHA SPACER [EY-A/SWT]
--	--	--

MODULUS SYSTEM



MODULUS TWO-WAY BRACKET

460mm/5 wire [EMOD-460C],
960mm/10 wire [EMOD-960C],
1 160mm/12 wire [EMOD-1160C],
1 960mm/20 wire [EMOD-1960C],
2 360mm/24 wire [EMOD-2360C],
2 660mm/27 wire [EMOD-2660C]



MODULUS END CAP 19X19

[EMOD-BENDCAP]



MODULUS SLIDE INSULATOR

[EMOD-BSLD]



MODULUS MOUNTING BRACKET

[EMOD-BRKT]



MODULUS THREE-WAY BRACKET

460mm/5 wire [EMOD-3WS460C],
960mm/10 wire [EMOD-3WS960C],
1 160mm/12 wire [EMOD-3WS1160C],
1 960mm/20 wire [EMOD-3WS1960C],
2 360mm/24 wire [EMOD-3WS2360C],
2 660mm/27 wire [EMOD-3WS2660C]



MODULUS END THREE- WAY CAP 26X19

[EMOD-BENDCAP3]



MODULUS SPACER

[EMOD-BSPR]



MODULUS HOOK

[ES-HK/MOD]

MODULUS BASE

[EMOD-BB]

FENCE WIRES



GALVANISED STRANDED

1.2mmx680m [EW-T12/BB], 1.2mmx2 992m [EW-T12],
1.6mmx1 560m [EW-T16], 2.0mmx1 000m [EW-T20],
1.6x1 560m [EW-T16XL], 2.0mmx1 000m [EW-T20XL]

GALVANISED SOLID

1.6mmx1 582m [EW-GN1.6/25KG],
2.0mmx1 012m [EW-GN2.0/25KG],
2.0mmx2 069m HDG [EW-G2.00HG],
2.24mmx1 650m [EW-G2.24],
2.24mmx1 650m HDG [EW-G2.24HG]

STAINLESS STEEL 304 STRANDED

1.2mmx800m [EW-TSS304/8], 1.2mmx1 600m [EW-TSS304/16]

STAINLESS STEEL 304 SOLID

1.0mmx1 985m [EW-SS1/304], 1.2mmx1 375m [EW-SS12/304],
1.2mmx770m [EW-SS12/304/7]

STAINLESS STEEL 316 STRANDED

1.2mmx800m [EW-TSS316]

STAINLESS STEEL 316 SOLID

1.0mmx1 985m [EW-SS1/316], 1.2mmx1 375m [EW-SS12/316],
1.2mmx770m [EW-SS12/316/7], 1.6mmx770m [EW-SS16/316],
2.0mmx495m [EW-SS20/316]

ALUMINIUM ALLOY STRANDED

1.6mmx500m [EW-AL16S/500], 1.6mmx1 000m [EW-AL16S],
2.0mmx1 000m [EW-AL20S]

ALUMINIUM ALLOY SOLID

1.6mmx500m [EW-AL16/500], 1.6mmx1 000m [EW-AL16],
2.0mmx1 000m [EW-AL20], 2.0mmx1 500m [EW-AL20/1500],
2.5mmx1 200m [EW-AL25/1200]

PLASTIC INSULATORS



ROUND BAR INSULATOR

[EI-BRBB], [EI-BRBW]



FLAT BAR INSULATOR

[EI-FSB], [EI-FSW]



NAIL-ON INSULATOR

[EI-NOB2], [EI-NOW2]



ULTRA NAIL-ON INSULATOR

[AI-NOBU/W]



Y-STANDARD INSULATOR

[EI-YB], [EI-YW]



OMEGA INSULATOR

[EI-OB]



OMEGA PULL- THROUGH INSULATOR

[EI-BTL2]



POP THROUGH HOLE INSULATOR

[EI-POPEM\B\ULT],
[EI-POPEM\W\ULT]



JUMBO STRAIN INSULATOR

[EI-STB/J], [EI-STW/J]



ULTRA STRAIN INSULATOR

[EI-STB/R], [EI-STW/R]



ULTRA HARDENED STRAIN INSULATOR

[EI-STB/R/H], [EI-STW/R/H]



PICKET INSULATOR

[EI-PI]



JURASSIC INSULATOR SLOTTED

[EI-JIB6.20/S],
[EI-JIW6.20/S]



JURASSIC INSULATOR THREAD THROUGH

[EI-JIB6.20], [EI-JIW6.20]



SHIELD INSULATOR

[EI-SI]



SELF TAPPER HOOK

[EA-JSTH], [EA-JSTH/L]



BUSBAR INSULATOR

[EI-SBI]



PORCELAIN BOBBIN INSULATOR

[EI-BPFL], [EI-BPFL10]



PORCELAIN STRAINER INSULATOR

[EI-STFP10]

HT CABLES



SINGLE CORE (S-SERIES)

30m black (EH-BS030S), 100m black (EH-BS100S),
200m black (EH-BS200S), 500m black (EH-BS500S),
1 000m black (EH-BS1000S), 30m white (EH-WS030S),
100m white (EH-WS100S), 200m white (EH-WS200S)

MULTI CORE (S-SERIES)

Three-core: 30m (EH-3BS030), 100m (EH-3BS100)
Four-core: 100m (EH-4BS100)
Five-core: 100m (EH-5BS100)



UNDERGATE (U-SERIES)

1.6mm 25m (AH-UC1.6/25),
50m (AH-UC1.6/50),
100m (AH-UC1.6/100)
2.5mm 25m (AH-UC2.5/25),
50m (AH-UC2.5/50),
100m (AH-UC2.5/100),
200m (AH-UC2.5/200),
500m (AH-UC2.5/500)



ALUMINIUM (A-SERIES)

Single core 100m (EH-AS100),
200m (EH-AS200),
500m (EH-AS500),
1 000m (EH-AS1000)
Three core 30m (EH-3AS030),
100m (EH-3AS100)



STAINLESS STEEL (SS-SERIES)

(EH-BINOX100S),
(EH-WINOX100S)

WIRE/CABLE CONNECTORS



BOLT-TYPE LINE CLAMP

6mm XL galvanised (EA-LC6),
6mm stainless steel (EA-LC6/SS),
8mm XL galvanised (EA-LC8/D)



U-TYPE LINE CLAMP

(EA-LC8/MG)




CLAW-TYPE LINE CLAMP

(EA-LC8/C)



FERRULES

Aluminium 6mm (EA-F6AFT), 10mm (EA-F10AFT)
Tinned copper 6mm (EA-F6S), 10mm (EA-F10),
16mm (EA-F16)
Stainless steel 6mm (EA-F6S/SS),
10mm (EA-F10S/SS)



BRIDGING WIRES

Galvanised

100mm (EA-BW/1.8x100HD),
200mm (EA-BW/1.8x200HD),
200mm (EA-BW1.8x200HDL)

Stainless steel

100mm (EA-BW/1.6x100SS),
200mm (EA-BW/1.6x200SS)

WIRE TENSIONERS – PLASTIC



COMPRESSION SPRING 1

Black (ES-CNT),
White (ES-CNTW)



COMPRESSION SPRING 2

Black (ES-CNT2),
White (ES-CNT2W)



HEAVY DUTY COMPRESSION SPRING 3

(ES-CNT3)



HYBRID COMPRESSION SPRING 1

(ES-CNT1HBG)



HYBRID COMPRESSION SPRING 2

(ES-CNT2HBG)



HYBRID COMPRESSION SPRING 3

(ES-CNT3HB)



HYBRID COMPRESSION SPRING 4

(ES-CNT4HB)



MINI-NYLON TENSIONER

(ES-DT/MN)



COMBO TENSIONER HYBRID BB

(ES-CTNTBB)



COMBO TENSIONER HYBRID BD

(AS-WSI/BD)

WIRE TENSIONERS – METAL



COMBO TENSIONER STANDARD

(ES-CTS)



COMBO TENSIONER PORCELAIN

(ES-CTP)

TENSIONER AND INSULATOR HOOKS



MODULUS AND JURASSIC HOOK

(ES-HK/MOD)



LARGE TAIL HOOK

(ES-H/LT)



90° HEAVY DUTY 2.5MM LARGE TAIL HOOK

(ES-H/LT/2.5/90D)



S-HOOK

(ES-HK/EP)



90-DEGREE S-HOOK

(ES-HK/EP/90DEG)



180-DEGREE S-HOOK

(ES-HK/EP/DS)



THROUGH-HOLE S-HOOK

(ES-HK/THR/HDG)



U-HOOK

(ES-HK/UH304)

WIRE DISPENSERS




LARGE WIRE DISPENSER

(EW-JENNY)



BRAIDED WIRE REEL HOLDER

(EW-T/RH)



IN-LINE LOOP

(EY-1LOOP),
(EY-1LOOP/SS)



EARTH LIVE LOOP

(EY-1LOOP/EL)



WALL-MOUNTED EARTH LOOP

(EA-WML/A), (EA-WML/S)



GROUND ANTI-CREEP LOOP

(EY-ANTICREAP)

EARTH LOOPS

GENERAL ACCESSORIES



WARNING SIGNS
Nemtek Sign (EA-WRS2/N)
Custom Sign (EA-WRS2/C)



FENCE LIGHT TIMED
Grey (SR-FL/TL/G)
Blue (SR-FL/TL/SS)



STATUS INDICATOR
(SR-SL)



STROBE LIGHT
Green (SR-STRG)
Red (SR-STRR)



CUT-OUT SWITCH
(AA-COS2),
(AA-COS/LED)



DOUBLE POLE LIGHTNING PROTECTION
(EA-LIDI)



TAG
(EE-WIZ4/MAGNET)



SIREN 30 WATT
(SR-30)



SIREN 15 WATT 6 TONE (SR-10)
(SR-6T)

FENCING TOOLS



HEAVY DUTY DIAGONAL SIDE CUTTER PLIERS
(TL-MNHW)



DISTANCE MEASURING WHEEL
(TL-DMW)



KNIPEX WIRE CUTTER
(TL-MN)



PROFESSIONAL CRIMPING TOOL
(TL-CRP)



HALF-INCH RATCHET TENSIONER
(TL-RAT1/2)



Y-PICKET POST DRIVER
(TL-PDY)



HANDHELD TENSIONER TOOL
(TL-NKHT)

SOLAR POWER



SOLAR PANELS
45W (SOL-SYS45W/N),
90W (SOL-SYS90W),
140W (SOL-SYS140W),
190W (SOL-SYS190W)



SOLAR REGULATOR
(SOL-REG140)



LEAD ACID
7AH (BAT-B07), 12AH (BAT-B12),
28AH (BAT-B28), 50AH (BAT-B50),
100AH (BAT-B100)



LITHIUM (LIFEPO4)
7AH (BAT-LIFE07),
20AH (BAT-LIFE20),
30AH (BAT-LIFE30),
100AH (BAT-LIFE100)

ENERGIZER ENCLOSURES



SLIDING FIBREGLASS ENCLOSURE
(ENC-EMB-A)



MEDIUM FIBREGLASS ENCLOSURE
(ENC-RL6D-P)



LARGE FIBREGLASS ENCLOSURE
(ENC-AP3-A)



POWDER COATED METAL ENCLOSURE
(ENC-SB/WIZ), (ENC-SB/STEALTH)



PLASTIC ENCLOSURE
Mini (ENC-C51), Small (ENC-C52),
Medium (ENC-C53), Large (ENC-C54)



ALUMINIUM BOX
Small (ENC-ALU/S),
Large (ENC-ALU),
Shock box (ENC-SHBOX),
X-Large (ENC-ALU/XL)



ENCLOSURE STAND
Large (ENC-KDS)



ENCLOSURE STAND U-BRACKET
(ENC-KDS/UBOLT)

GATE SYSTEMS



GATE LOCATOR AND SWING GATE PLATES
(EY-GLAU), (EY-GPAU)



2-WAY GATE CONTACT
(EA-SGC13),
(EA-SGC07)



3-WAY GATE CONTACT
(EA-SGC193W),
(EA-SGC213W)



GATE MOUNTING BRACKET
(EA-SGC/UNIB)

EARTH SPIKES



EARTH SPIKE LUG
(EA-LEAN)




HOT DIP GALVANISED
1m (EA-EAG1), 1.2m (EA-EAG12)



COPPER CLAD
1m (EA-EAN), 1.2m (EA-EAN/L)

NEMTEK

Electric Fencing Products



SOUTH AFRICA

Head Office, Exports and Training Academy

websales@nemtek.com

+27 (0)11 462 8283/4

Stand 206 Boundary Park, Cnr Malibongwe and Epsom Avenue,
Northriding, Randburg, South Africa

Bloemfontein

+27 (0)54 332 1338

Plot 42 Gemsbok Street, Unit 12, Quaggafontein, Bloemfontein,
South Africa

Cape Town

+27 (0)21 386 3742/3100

21 Concord Crescent, Airport City, Cape Town, South Africa

Edenvale

+27 (0)11 453 1970

Units 1 & 2, Eden Crossing, Cnr Dick Kemp and Herman Street,
Edenvale, South Africa

KwaZulu-Natal

+27 (0)31 701 2125

19 Henwood Road, Pinetown, South Africa

Nelspruit

+27 (0)13 752 2187

46 Rapid Road, Riverside Industrial Park, Nelspruit, South Africa

Port Elizabeth

+27 (0)41 581 4130

Unit 4, 51 Leadwood Crescent, Fairview, Port Elizabeth, South Africa

AUSTRALIA

+61 8 9303 9855

Unit 5, 19 Innovation Circuit, Wangara, 6065, Perth, WA, Australia

EUROPE

+31 88 27 60 910

Sprendlingenstraat 18k, 5061KN Oisterwijk, The Netherlands

www.nemtek.com